

## Required VMS License Units

| System Model                                                    | OpenVMS |    |     |    | SIP | Layered Products |   |      |
|-----------------------------------------------------------------|---------|----|-----|----|-----|------------------|---|------|
|                                                                 | A       | B  | C   | D  | E   | F                | H | I    |
| VAX 6000-210, 6000-310                                          | 58      | NA | NA  | NA | 230 | 300              |   | 300  |
| VAXft 110                                                       | 60      | NA | NA  | NA | 230 | 100              |   | 100  |
| VAXft 310, 410, 610, 810                                        | 58      | NA | NA  | NA | 230 | 300              |   | 300  |
| VAX 6000-220, 6000-320, 6000-410                                | 69      | NA | NA  | NA | 230 | 600              |   | 600  |
| VAX 6000-230, 6000-330, 6000-510                                | 81      | NA | NA  | NA | 400 | 900              |   | 900  |
| VAX 6000-240, 6000-340, 6000-350, 6000-420, 7000-610, 10000-610 | 93      | NA | NA  | NA | 400 | 1200             |   | 1200 |
| VAX 6000-540, 6000-640                                          | 170     | NA | NA  | NA | 600 | 2400             |   | 2400 |
| VAX 6000-550, 6000-650                                          | 195     | NA | NA  | NA | 600 | 2400             |   | 2400 |
| VAX 6000-560, 6000-660                                          | 220     | NA | NA  | NA | 600 | 2400             |   | 2400 |
| VAX 6000-610                                                    | 81      | NA | NA  | NA | 400 | 1200             |   | 1200 |
| VAX 8200, 8250                                                  | 20      | NA | NA  | NA | 230 | 100              |   | 100  |
| VAX 8300, 8350                                                  | 25      | NA | NA  | NA | 230 | 200              |   | 200  |
| VAX 8500                                                        | 63      | NA | NA  | NA | 230 | 400              |   | 400  |
| VAX 8530                                                        | 65      | NA | NA  | NA | 230 | 400              |   | 400  |
| VAX 8550, 8700, 8810                                            | 72      | NA | NA  | NA | 400 | 600              |   | 600  |
| VAX 8600, 8650                                                  | 28      | NA | NA  | NA | 230 | 400              |   | 400  |
| VAX 8800, 8820                                                  | 93      | NA | NA  | NA | 400 | 1200             |   | 1200 |
| VAX 8830, 6000-360, 6000-430, 6000-520, 6000-620                | 119     | NA | NA  | NA | 600 | 1800             |   | 1800 |
| VAX 7000-620, 10000-620                                         | 145     | NA | NA  | NA | 600 | 1800             |   | 1800 |
| VAX 6000-440, 6000-450, 6000-460, 6000-530                      | 143     | NA | NA  | NA | 600 | 2400             |   | 2400 |
| VAX 7000-630, 10000-630                                         | 167     | NA | NA  | NA | 600 | 2400             |   | 2400 |
| VAX 7000-640, 10000-640                                         | 197     | NA | NA  | NA | 600 | 2400             |   | 2400 |
| VAX 6000-630, 9000-210, 9000-410                                | 143     | NA | NA  | NA | 600 | 2400             |   | 2400 |
| VAX 9000-420                                                    | 241     | NA | NA  | NA | 800 | 4800             |   | 4800 |
| VAX 9000-430                                                    | 330     | NA | NA  | NA | 800 | 4800             |   | 4800 |
| VAX 9000-440                                                    | 386     | NA | NA  | NA | 800 | 4800             |   | 4800 |
| VAX 7000-710, 810                                               | 93      | NA | NA  | NA | 230 | 600              |   | 600  |
| VAX 7000-720, 820                                               | 193     | NA | NA  | NA | 230 | 600              |   | 600  |
| VAX 7000-730, 830                                               | 293     | NA | NA  | NA | 230 | 600              |   | 600  |
| VAX 7000-740, 840                                               | 393     | NA | NA  | NA | 230 | 600              |   | 600  |
| VAX 7000-750, 850                                               | 493     | NA | NA  | NA | 230 | 600              |   | 600  |
| VAX 7000-760, 860                                               | 593     | NA | NA  | NA | 230 | 600              |   | 600  |
| MicroVAX II                                                     | 18      | NA | 100 | NA | 230 | 50               |   | 50   |

| System Model                                                                 | A   | B    | C   | D   | E   | F    | H    | I    |
|------------------------------------------------------------------------------|-----|------|-----|-----|-----|------|------|------|
| MicroVAX 2000, 3100-10e, 3100-20e, 3100-30, 3100-40, 3100-80                 | 18  | NA   | 100 | NA  | 230 | 20   |      | 20   |
| MicroVAX 3100-90, 3100-96, 3100-96A                                          | 60  | NA   | 100 | NA  | 230 | 20   |      | 20   |
| MicroVAX 3500, 3600, 3800, 3900, 4000-200                                    | 60  | NA   | 100 | NA  | 230 | 200  |      | 200  |
| MicroVAX 3300, 3400, 4000-100, 4000-106A                                     | 60  | NA   | 100 | NA  | 230 | 100  |      | 100  |
| VAX 4000-100, 4000-106                                                       | 60  | NA   | 100 | NA  | 230 | 100  |      | 100  |
| VAX 4000-300, 4000-400, 4000-500A, 4000-600A, 4000-700A, 4000-706A           | 60  | NA   | 100 | NA  | 230 | 300  |      | 300  |
| VAX 4000-500, 4000-600                                                       | 60  | NA   | 100 | NA  | 400 | 900  |      | 900  |
| VAXstation II, II/GPX                                                        | NA  | NA   | NA  | 100 | 50  | 10   |      | 10   |
| VAXstation 2000, 2000/GPX                                                    | NA  | NA   | NA  | 100 | 50  | 10   |      | 10   |
| VAXstation 3100, 3200, 3500, 3520, 3540, 4000-60, 4000 VLC, 4000-90, 4000-96 | NA  | NA   | NA  | 100 | 50  | 10   |      | 10   |
| VAXserver 2000                                                               | NA  | 52   | NA  | NA  | 50  | 10   |      | 10   |
| VAXserver 3300, 3400, 3500, 3600, 3900, 4000-200, 4000-300                   | NA  | 100  | NA  | NA  | 50  | 10   |      | 10   |
| VAXserver 6000-210, 6000-310                                                 | NA  | 1443 | NA  | NA  | 230 | 200  |      | 200  |
| VAXserver 6000-220, 6000-320, 6000-410, 6000-420                             | NA  | 1737 | NA  | NA  | 230 | 400  |      | 400  |
| VAXserver 6000-510                                                           | NA  | 600  | NA  | NA  | 230 | 400  |      | 400  |
| VAXserver 6000-520                                                           | NA  | 890  | NA  | NA  | 230 | 400  |      | 400  |
| VAXserver 9000-110, 9000-310                                                 | 143 | 143  | NA  | NA  | 600 | 900  |      | 900  |
| VAXserver 9000-320                                                           | 241 | 241  | NA  | NA  | 800 | 1200 |      | 1200 |
| VAXserver 9000-330                                                           | 330 | 330  | NA  | NA  | 800 | 1200 |      | 1200 |
| VAXserver 9000-340                                                           | 386 | 386  | NA  | NA  | 800 | 1200 |      | 1200 |
| ALPHAbook 1                                                                  | 12  |      |     |     |     |      | 1050 |      |
| AlphaServer 400                                                              | 12  |      |     |     |     |      | 1050 |      |
| AlphaServer 800, 1000, 1000A                                                 | 15  |      |     |     |     |      | 1050 |      |
| AlphaServer 1200 (1 CPU)                                                     | 25  |      |     |     |     |      | 1050 |      |
| AlphaServer 1200 (2 CPU)                                                     | 75  |      |     |     |     |      | 1050 |      |
| AlphaServer 2000, 2000A (1 CPU)                                              | 400 |      |     |     |     |      | 1100 |      |
| AlphaServer 2000, 2000A (2 CPU)                                              | 500 |      |     |     |     |      | 1100 |      |
| AlphaServer 2100, 2100A (1 CPU)                                              | 400 |      |     |     |     |      | 1100 |      |
| AlphaServer 2100, 2100A (2 CPU)                                              | 500 |      |     |     |     |      | 1100 |      |
| AlphaServer 2100, 2100A (3 CPU)                                              | 600 |      |     |     |     |      | 1100 |      |
| AlphaServer 2100, 2100A (4 CPU)                                              | 700 |      |     |     |     |      | 1100 |      |

| <b>System Model</b>             | <b>A</b> | <b>B</b> | <b>C</b> | <b>D</b> | <b>E</b> | <b>F</b> | <b>H</b> | <b>I</b> |
|---------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| AlphaServer 4100 (1 CPU)        | 400      |          |          |          |          |          | 1100     |          |
| AlphaServer 4100 (2 CPU)        | 500      |          |          |          |          |          | 1100     |          |
| AlphaServer 4100 (3 CPU)        | 600      |          |          |          |          |          | 1100     |          |
| AlphaServer 4100 (4 CPU)        | 700      |          |          |          |          |          | 1100     |          |
| AlphaServer 8200 (1 CPU)        | 2000     |          |          |          |          |          | 1150     |          |
| AlphaServer 8200 (2 CPU)        | 2100     |          |          |          |          |          | 1150     |          |
| AlphaServer 8200 (3 CPU)        | 2200     |          |          |          |          |          | 1150     |          |
| AlphaServer 8200 (4 CPU)        | 2300     |          |          |          |          |          | 1150     |          |
| AlphaServer 8200 (5 CPU)        | 2400     |          |          |          |          |          | 1150     |          |
| AlphaServer 8200 (6 CPU)        | 2500     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (1 CPU)        | 2600     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (2 CPU)        | 2700     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (3 CPU)        | 2800     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (4 CPU)        | 2900     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (5 CPU)        | 3000     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (6 CPU)        | 3100     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (7 CPU)        | 3200     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (8 CPU)        | 3300     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (9 CPU)        | 3400     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (10 CPU)       | 3500     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (11 CPU)       | 2600     |          |          |          |          |          | 1150     |          |
| AlphaServer 8400 (12 CPU)       | 2600     |          |          |          |          |          | 1150     |          |
| AlphaStation 205, 250, 255, 500 | 12       |          |          |          |          |          | 1050     |          |
| AlphaStation 400                | 12       |          |          |          |          |          | 1050     |          |
| AlphaStation 600                | 12       |          |          |          |          |          | 1050     |          |
| DEC 2000-300/300S               | 12       |          |          |          |          |          | 1050     |          |
| DEC 2000-500/500S               | 12       |          |          |          |          |          | 1050     |          |
| DEC 3000-300                    | 15       |          |          |          |          |          | 1050     |          |
| DEC 3000-300L                   | 15       |          |          |          |          |          | 1050     |          |
| DEC 3000-400/400S               | 20       |          |          |          |          |          | 1050     |          |
| DEC 3000-600/600S               | 20       |          |          |          |          |          | 1050     |          |
| DEC 3000-500/500S               | 50       |          |          |          |          |          | 1100     |          |
| DEC 3000-500X                   | 50       |          |          |          |          |          | 1100     |          |
| DEC 3000-800/800S               | 50       |          |          |          |          |          | 1100     |          |
| DEC 4000-610                    | 300      |          |          |          |          |          | 1150     |          |
| DEC 4000-620                    | 400      |          |          |          |          |          | 1200     |          |
| DEC 4000-710                    | 300      |          |          |          |          |          | 1150     |          |
| DEC 4000-720                    | 400      |          |          |          |          |          | 1200     |          |
| DEC 7000-610                    | 500      |          |          |          |          |          | 1200     |          |
| DEC 7000-620                    | 600      |          |          |          |          |          | 1250     |          |
| DEC 7000-630                    | 700      |          |          |          |          |          | 1250     |          |
| DEC 7000-640                    | 800      |          |          |          |          |          | 1250     |          |

| <b>System Model</b> | <b>A</b> | <b>B</b> | <b>C</b> | <b>D</b> | <b>E</b> | <b>F</b> | <b>H</b> | <b>I</b> |
|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| DEC 10000-610       | 800      |          |          |          |          |          | 1250     |          |
| DEC 10000-620       | 900      |          |          |          |          |          | 1300     |          |
| DEC 10000-630       | 1000     |          |          |          |          |          | 1300     |          |
| DEC 10000-640       | 1100     |          |          |          |          |          | 1300     |          |

**Key to License Type Codes and Values**

*A---OpenVMS Capacity or OpenVMS Unlimited or Base*

*B---OpenVMS Server*

*C---OpenVMS Concurrent User*

*D---OpenVMS Workstations*

*E---System Integrated Products (SIPs)*

*F---Layered Products*

*G---Reserved*

*H---Alpha Layered Products*

*I---Layered Products*

*NA---Not applicable*